

slots & dots





Connecting all the dots.

48V Track lighting system connecting all the dots for architects and lighting designers: color, comfort, control and configurability. Slots and Dots is an easily configurable track lighting system that creates visual ambience and interest for hospitality and retail environments. Featuring surface, recessed or pendant mounting options, with magnetic lighting modules so light sources can be easily snapped in and out as needed. Dali control for individual control of lighting elements.









Slots



Dots



Application:

Hospitality, Retail, Commercial

Available light attachments include accent track heads, a pendant accent and four different linear options, with lensed sources for ambient light and high-performance optics for direct light. The track comes in 8-foot and 4-foot lengths, which join together for clean lines of light or a variety of whimsical compositions.

SLOTS

LINEAR

Wattage/Foot: 6

Delivered Lumens: Up to 1,007

Binning: 3 MacAdam

Color Temp: 2700K-4000K

CRI: 90 typ.

Dimming: DALI

Lengths: 1', 2', 4'

Lens: Opal, Microprismatic, Comfort, 30°

Finish: B, W

DOTS

SMALL ACCENT/PENDANT

Wattage: 7

Delivered Lumens: Up to 391

Binning: 3 MacAdam

Color Temp: 2700K-4000K

CRI: 80 typ., 90 typ.

Dimming: DALI

Beam Spreads: 13°, 18°, 28°

Finish: MB, MW

Accessories: AH, HEX

Large Accent/Pendant

Wattage: 14

Delivered Lumens: Up to 1,206

Binning: 3 MacAdam

Color Temp: 2200K-4000K

CRI: 90 typ.

Dimming: DALI

Beam Spreads: 15°-60°

Finish: MB, MW

Accessories: SN, HEX, SOL, CB

TRACK

48 V. LOW VOLTAGE

Types: Low Profile Recessed

Low Profile Pendant/Surface

Deep Profile Recessed





Deep Profile Pendant/Surface

Lengths: 4', 8' (field cuttable)

Control: DALI

Finish: B, W

Track



For most updated performance and ordering information visit us at amerlux.com.

© 2020 Amerlux, LLC





amerlux.com

Headquarters

178 Bauer Drive
Oakland, New Jersey 07436 USA
973.882.5010 | Fax 973.882.2605

China Office

Oxidated Carpark 2nd Floor
No. 124 Donghuan Road, Donghuan Jie
Panyu, Guangzhou PRC 511400